

Exxat Prism Accessibility Conformance Report

WCAG Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: Exxat Prism (Student Module)

Report Date: August 18, 2025

Product Description:

Exxat PRISM is an all in one system that helps manage clinical education, curriculum mapping and compliance information

Contact Information: kunal.vaishnav@exxat.com

Notes:

1. The original VPAT was produced on March 25, 2025 and this is the updated version on August 18, 2025. This document supersedes the earlier document.
2. All the pending issues which are remediated alone are verified and updated the VPAT in this version from March 25, 2025.
3. The high contrast theme is provided specifically for better color contrast. The same can be accessed from the Settings modal post login.
4. Accessibility Improvement Process: We have diligently reviewed and addressed the accessibility issues identified within our application. We have made significant progress in enhancing the overall accessibility of our product, ensuring maximum accessibility for all users.

5. Ongoing Efforts: Our development team is actively working to fix any remaining accessibility issues. These issues primarily stem from the customization of Angular Material components. We acknowledge that these particular customizations have introduced accessibility challenges, and we are committed to resolving them promptly.
6. Prioritizing Accessibility Fixes: We recognize the importance of providing an inclusive user experience and are allocating dedicated resources to rectify the remaining issues. Our team is actively prioritizing the resolution of these accessibility concerns to ensure compliance with accessibility standards and guidelines.
7. Timelines for Issue Resolution: We understand the urgency in addressing these outstanding accessibility issues. Our development team is actively working on implementing the necessary fixes, and we anticipate resolving all remaining issues.
8. User Feedback and Testing: We greatly appreciate any user feedback regarding accessibility concerns. If you encounter any accessibility issues while using our application, please reach out to our support team or provide feedback through our designated channels. Your input is invaluable in helping us identify and address any accessibility barriers.
9. Commitment to Accessibility: We remain dedicated to providing an accessible user experience to all individuals. We understand the importance of accessibility compliance and are continuously working towards improving our product to meet or exceed the accessibility standards and guidelines set forth by regulatory bodies.

The following pending issues are remediated and VPAT has been updated

- The pending issues for 1.1.1 Non-text Content are addressed. The logo on login screen is provided with updated text alternative.
- The pending issue for 1.3.1 Info and Relationships are addressed. The labels and error messages are programmatically associated on login screens.
- The pending issue for 1.4.1 Use of Color is addressed. On Coursework module, the links are provided with underline on hover.
- The pending issue for 2.4.2 Page Titled is addressed. On Explore Locations screen the page title has been updated.

Evaluation Methods Used:

- Screen Reader assessment – Chrome + NVDA on Windows and Safari + VoiceOver on mac.
- Keyboard only.
- Browser Zoom.
- Color Contrast.
- Browser automation – Axe.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (No) Level AA (No) Level AAA (No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion.

WCAG 2.x Report

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes: WCAG 2.2 success criteria are removed.

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)	Supports	All informative images are provided with proper text alternative. All decorative images are hidden from assistive technologies. All actionable images and icons are provided with proper text alternative through ARIA and other suitable ways.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)	Supports	The application does not contain prerecorded audio-only or video-only media.
1.2.2 Captions (Prerecorded) (Level A)	Supports	The application does not contain prerecorded synchronized media.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)	Supports	The application does not contain prerecorded video content that would require audio description or a media alternative.
1.3.1 Info and Relationships (Level A)	Supports	All issues are remediated.
1.3.2 Meaningful Sequence (Level A)	Supports	
1.3.3 Sensory Characteristics (Level A)	Supports	
1.4.1 Use of Color (Level A)	Supports	All issues are remediated.
1.4.2 Audio Control (Level A)	Supports	The application doesn't have any audio content which plays automatically.
2.1.1 Keyboard (Level A)	Supports	All functionalities can be completed using only a keyboard .
2.1.2 No Keyboard Trap (Level A)	Supports	There are no keyboard traps.
2.1.4 Character Key Shortcuts (Level A 2.1 only)	Supports	The application doesn't have any custom keystrokes.
2.2.1 Timing Adjustable (Level A)	Supports	The application has a conformation dialog presented before time out and there is an option for users to continue the session.

Criteria	Conformance Level	Remarks and Explanations
2.2.2 Pause, Stop, Hide (Level A)	Supports	There are no auto-moving components.
2.3.1 Three Flashes or Below Threshold (Level A)	Supports	There are no flashing components
2.4.1 Bypass Blocks (Level A)	Supports	The application has headings and landmarks defined. The skip link is implemented.
2.4.2 Page Titled (Level A)	Supports	All screens have descriptive page title.
2.4.3 Focus Order (Level A)	Supports	The tab order always matches the visible order, and it is logical.
2.4.4 Link Purpose (In Context) (Level A)	Supports	
2.5.1 Pointer Gestures (Level A 2.1 only)	Supports	The application doesn't have any elements which are purely dependent on pointer / gestures.
2.5.2 Pointer Cancellation (Level A 2.1 only)	Supports	The application doesn't have any custom widgets for which pointer cancellation is applicable.
2.5.3 Label in Name (Level A 2.1 only)	Supports	
2.5.4 Motion Actuation (Level A 2.1 only)	Supports	There is no functionality in the application which is dependent on motion.
3.1.1 Language of Page (Level A)	Supports	
3.2.1 On Focus (Level A)	Supports	
3.2.2 On Input (Level A)	Supports	
3.3.1 Error Identification (Level A)	Supports	
3.3.2 Labels or Instructions (Level A)	Supports	
4.1.1 Parsing (Level A)	Supports	For WCAG 2.0 and 2.1, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.
4.1.2 Name, Role, Value (Level A)	Supports	All user controls and custom components are provided with the necessary ARIA roles and attributes along with the accessible name.

Table 2: Success Criteria, Level AA

Notes: WCAG 2.2 success criteria are removed.

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Supports	The application does not contain live synchronized media.
1.2.5 Audio Description (Prerecorded) (Level AA)	Supports	The application does not contain prerecorded synchronized media.
1.3.4 Orientation (Level AA 2.1 only)	Not Evaluated	This is not evaluated using any device as of now.
1.3.5 Identify Input Purpose (Level AA 2.1 only)	Supports	Necessary autocomplete values are provided for fields collecting personal information.
1.4.3 Contrast (Minimum) (Level AA)	Supports	Color contrast are addressed on High contrast theme.
1.4.4 Resize text (Level AA)	Supports	It is a responsive application.
1.4.5 Images of Text (Level AA)	Supports	
1.4.10 Reflow (Level AA 2.1 only)	Partially Supports	It is a responsive application. At places viewing content at 320 pixels is obscuring content.
1.4.11 Non-text Contrast (Level AA 2.1 only)	Partially Supports	High Contrast theme is provided which has proper contrast for non-text content. There are 2 issues on Login and Profile where the form fields do not have adequate non-text contrast. These issues are being remediated.
1.4.12 Text Spacing (Level AA 2.1 only)	Supports	
1.4.13 Content on Hover or Focus (Level AA 2.1 only)	Supports	
2.4.5 Multiple Ways (Level AA)	Supports	All screens have a mechanism to go to home page or directly access the main menu.
2.4.6 Headings and Labels (Level AA)	Supports	
2.4.7 Focus Visible (Level AA)	Supports	
3.1.2 Language of Parts (Level AA)	Supports	There is no content which is different from the primary language of the application.
3.2.3 Consistent Navigation (Level AA)	Supports	
3.2.4 Consistent Identification (Level AA)	Supports	

Criteria	Conformance Level	Remarks and Explanations
3.3.3 Error Suggestion (Level AA)	Supports	
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)	Supports	
4.1.3 Status Messages (Level AA 2.1 only)	Supports	All error messages and status messages are provided necessary ARIA live region attributes.

Table 3: Success Criteria, Level AAA

Notes: This section has been deleted.

Legal Disclaimer